

SafeTANK GT4670-TB



Up to 32TB.

Big storage for video & photo.

Thunderbolt 2.


The fastest, most versatile I/O in any desktop. Of any size.



UP TO

25x

FASTER THAN
FIREWIRE 800



Thunderbolt 2 technology in GT4670-TB is phenomenally fast. The two Thunderbolt 2 ports on GT4670-TB features dual 20-Gbps channels for data transfer and that's up to four times faster than USB 3. But beyond speed, Thunderbolt gives you unprecedented expansion capabilities. You can daisy-chain as many as six Thunderbolt devices to a single port. And since Thunderbolt is based on Display Port technology, Mini Display Port devices like Apple LED Cinema Display can plug right in, too.

Thunderbolt 2




The GT4670-TB has four built-in disk configuration modes: RAID 1 (Safe Mode), RAID 0 (Speed Mode), RAID 10, JBOD (Two Independent Volumes) for you to choose according to your needs.

- RAID 0 functionality increases storage speed and performance.
- RAID 1 function provides fully automatic backup that ensures data security.
- RAID 10 is a RAID configuration that combines disk mirroring and disk striping to protect data.
- JBOD function provides two independent disk data access convenience.

RAID 0 functionality increases storage speed and performance

The new GT4670-TB is equipped with RAID 0 storage mode, which enables user to attain up to 724MB/s read speed with GT4670- TB's Thunderbolt transmission interface. Whether it is used for searching and editing photo galleries, or video editing and synthesis, it promises to deliver a smooth and easy operation.



Test Environment

Testing conducted by RAIDON in December 2014 using an Apple Mac Pro 3.7GHz Quad-core Intel Xeon E5 with 12GB RAM running Mac OS X 10.10. Four drives (HGST 8TB SATA III 7200 rpm) and two SSD (Adata 64G SATA III) were used as the test volume when AJA tests were performed.

Stylish and rugged

The GT4670-TB has a sleek exterior design that'll never go out of style when placed next to your Mac. It's also built tough with three millimeter thickness aluminum to shield the enclosed drives durably and to dissipate the heat created by the drives faster for the drives to work comfortably.

The ultimate all-in-one demands the most advanced I/O technology. Each tiny Thunderbolt port lets you expand the capabilities of your Mac for connecting high performance peripherals, transfer data at high speed, or even daisy-chain multiple devices. And the new iMac with Retina 5K display has Thunderbolt 2 built-in, delivering twice the bandwidth — up to 20 Gbps — for the fastest data transfers.

To help you complete your photography projects



With two ultrafast Thunderbolt 2 ports, you can build a photo studio around MacBook Pro and GT4670-TB. Or take them with you and import thousands of RAW images on location — up to six times faster than on a standard MacBook Pro. Once your photos are on your computer, editing in Aperture is faster and more responsive than before.

GT4670-TB's RAID 0 mode lets you quickly browse large image libraries from external storage. So you have instant access to any photo in your library.


Environmentally friendly

GT4670-TB is made from highly recyclable aluminum and it is also free of many harmful toxins which commonly present in the desktop computer manufacturing process.



GT4670-TB Specification

Product Views



| | |
|---|---|
| Front View A.Hard drive status indicator B.Removable drive tray C.Key access opening D.Power indicator | Rear View E.Power Switch F. Power socket G.Thunderbolt H. Anti-theft cord slot |
|---|---|

| Specification | |
|---------------------------------------|--|
| Model No. | GT4670-TB |
| Interface | Thunderbolt 2 Port x 2 (up to 20 Gbps) |
| Compatible Drives | 4 x 3.5" /2.5" SATA III HDD/SSD (up to 6 Gbps) / Support large volume up to 8TB |
| Storage Mode | RAID 0, 1, 10 and JBOD |
| Electrical and Operating Requirements | * Line voltage: 100-240V AC * Frequency: 50Hz to 60Hz, single phase * Maximum continuous power: 150W * Operating temperature: 32° to 104° F (0° to 40° C) * Storage temperature: -4° to 113° F (-20° to 45° C) * Relative humidity: 5% to 95% noncondensing |
| Cooling System | 9 cm Low noise fan |
| Product Size and Weight | Height: 166 mm Width: 124 mm Depth: 248 mm Weight: 3.4 kg |
| Product Code | EAN: 4711132863581 UPC: 884826500162 |
| Carton | 4 pcs per carton |
| Package Accessories | * GT4670-TB x 1 (with removable drive tray enclosed x 4) * Thunderbolt Cable x 1 * AC Power Cable x 1 * Screws & Keys * Quick Installation Guide x 1 |

7F-9, No.16, Lane 609, Sec.5, Chung-Hsin Rd.,241 San-Chung Dist., New Taipei City, Taiwan

Tel:886-2-2278-9697 Ext 63

Fax:886-2-2278-9659

<http://www.raidon.com.tw>

E-mail : sales1@raidon.com.tw



Distributor

copyright 2010 RAIDON Inc. All rights reserved.

All other trademarks and trade names are the properties of their respective owners.all rights reserved.