

The next generation SafeTank (6G)

GT4670-SB3


(4 Bay 2.5-3.5" SSD / HDD JBOD 6.0 Gb/s)



Up to **32TB** capacity expansion.
Especially suitable for video editing.

The SATA hard disk drive with the highest cost-benefit ratio

The GT4670-SB3 is equipped with two types of high-speed interfaces, and can be used as a 6G 3.5"/2.5" high-speed SATA hard drive. When using the e-SATA interface, transmission speeds can reach 476MB/s, while transmission speeds for the USB3.0 interface are 386MB/s. These two types of interfaces achieve high transmission speeds at lower cost, making them suitable for high-speed image processing or image galleries with large capacity requirements.



8TB x 4 HDD
32TB

Large capacity (up to 32TB) for all your creations

GT4670-SB3 is compatible with all brands of 8TB SATA hard drives. Independent JBOD mode can offer independent storage areas even if the hard drives are of different capacities.



Tough and durable shielding body

The GT4670-SB3 beats any compact four drive systems with its seamless, 3.5mm thick full aluminum built body that's robust to withstand the most demanding of use. With aluminum body, the system dissipates heat faster for a greater stability and performance that also extends the lives of the drives.



Removable Design Makes it Easier to Use and Switch Out Multiple Hard Drives

The GT4670-SB3's newly designed removable drive trays can accommodate 3.5" HDDs, 2.5" SSDs, and 2.5" HDDs (supporting a range of widths including 15 / 12 / 9.5 / 9 / 7 mm) and combine the convenience of external plug and play drives with the advantages in stability offered by internal drives, enabling you to enjoy the best of both worlds and increased mobility.



Compact to suit any desktop environment



Although the GT4670-SB3 holds up to four 3.5/2.5 inch drives and includes a 200 watt power supply, the overall size (approx. 6.5 inches tall x 5 inches wide) of the enclosure is compact and will not take up much room of your desktop space. Moreover, the system is equipped with a large quiet fan for continuous drawing away heat from the inside of the system for you drive to run comfortably.



Higher Transmission Bandwidth to Enhance Your Work Efficiency

The GT4670-SB3, which is backward compatible with 3.0/1.5 Gb/s, also supports SATA 6.0 Gb/s transmission bandwidth. Its impressively high speed brings you higher efficiency, and works perfectly with high speed solid-state drives. It handles both large video files or graphic design projects with equal ease.

Features e-SATA (6G) and USB 3.0 (5G) Compatibility



The new SafeTank GT4670-SB3 (6G) are fitted with high-speed e-SATA (6G) and USB 3.0 (5G) interfaces, offering blazingly fast transfer speeds compared to USB 2.0 and FireWire 800. In addition, the USB 3.0 model is backward compatible with USB 2.0 for users who haven't yet upgraded to USB 3.0.

Note: If connected to USB 2.0 host, the performance speed will only reach that of USB 2.0.

Able to recognize four hard drives with just one e-SATA cable

GT4670-SB3's e-SATA allows for port multiplication. A single port can support four large capacity hard drives, allowing the user to directly view all four drives. This is very convenient for users who use a single hard drive as their image gallery, as they can easily swap hard drives without cabling issues. If you need to access a lot of image and video galleries, you can change the entire image gallery by swapping hard drives, as simple as changing a DVD.

[When using the e-SATA interface, the GT4670-SB3 supports hot swappable hard drives, meaning you can directly swap hard drives when the power is on, as simple as changing a CD. When swapping hard drives make sure the hard drive is not in read or write mode.]



Equipped with removable drive trays
A big difference in the range of applications



The unique design of SATA hard drives gives itself removable characteristics; but through RAIDON' s removable trays, removing and installing SATA hard drives is more comprehensive and secure. Through secure removable hard drive trays, users can easily move the entire hard drive like moving an entire video library. Users no longer need to rummage through a stack of CDs/DVDs to look for a video. Let the removable tray design make your workflow faster and more convenient. RAIDON has already envisioned these application advantages for users.

The cost performance of hard drives is already better than DVDs

Did you know that a 2TB hard drive is the equivalent of 400 4.7G DVDs? Are you still troubled with how to find an urgent file in all of the DVDs? Why not just buy a large-capacity hard drive to replace all of these DVDs? Use the hard drive as a large database and let the computer search the files for you so that all you need to do is concentrate on your creative work.

	CD(700MB)	DVD(4.7G)	DVD(8G)
1 TB HDD	1380 pcs	200 pcs	120 pcs
2 TB HDD	2570 pcs	400 pcs	240 pcs
3 TB HDD	3900 pcs	600 pcs	350 pcs
4 TB HDD	5200 pcs	800 pcs	488 pcs




The new GT4670-SB3 hard drive tray can now handle 2.5" SSD/HDD hard drives.

To transfer video captured from a Blackmagic Production Camera 4K to a mobile SSD, you can directly install the SSD on to the ST4's hard drive tray, and then connect it to a computer to perform editing or color correction on captured video directly. The hard disk can be formatted to be compatible with Mac HFS+ or Windows exFAT.



GT4670-SB3 Specification



- A. 2.5" -3.5" HDD/SSD Access Indicator
- B. Key Lock
- C. 2.5" -3.5" HDD/SSD Tray
- D. e-SATA Port
- E. USB 3.0
- F. Anti-theft cord slot
- G. Power Switch
- H. Power Socket

Specification	
Model No	GT4670-SB3
Interfaces	e-SATA(6G) , USB3.0(5G)
Compatible Drives	4 x 3.5" / 2.5" SATA III (6.0 Gbits)
Storage Mode	4 x Independent (JBOD)
System Monitoring	System temperature, Fan failure, Hard drive failure.
Cooling System	8 cm Low noise fan
Electrical and Operating Requirements	<ul style="list-style-type: none"> * Line voltage: 100-240V AC * Frequency: 50Hz to 60Hz, single phase * Maximum continuous power: 200W * Operating temperature: 50° to 95° F (10° to 35° C) * Storage temperature: -4° to 116° F (-20° to 47° C) * Relative humidity: 5% to 95% noncondensing
Size and Weight	Height: 166 mm Width: 124 mm Depth: 210 mm Weight: 4.5 kg
Product Code	EAN : 4711132862218 UPC : 884826500032
Carton	4 pcs per carton
Package Accessories	<ul style="list-style-type: none"> * GT4670-SB3 x 1 (with removable drive tray enclosed x 4) * USB3.0 Cable x 1 * e-SATA Cable x 1 * AC Power Cable x 1 * Accessory kit * User Manual x 1

7F-9, No.16, Lane 609, Sec.5, Chung-Hsin Rd.,241 San-Chung Dist., New Taipei City, Taiwan

Tel:886-2-2278-9697 Ext 48

Fax:886-2-2278-9659

<http://www.raidon.com.tw>

E-mail :sales1@raidon.com.tw



Distributor

copyright 2015 RAIDON Inc. All rights reserved.

All other trademarks and trade names are the properties of their respective owners.all rights reserved.